Attorney Docket No.: Q80109

AMENDMENT UNDER 37 C.F.R. § 1.111

Application No.: 10/787,415

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): A biodegradable resin composition comprising an L-lactic acid unit-containing resin (1) and a D-lactic acid unit-containing resin (2);

wherein the L-lactic acid unit-containing resin (1) is a homopolymer of L-lactic acid, wherein the D-lactic acid unit-containing resin (2) is a copolymer of D-lactic acid and a saccharide, and

wherein resin (2) is present in an amount of from 3 to 25-5 parts by weight per 100 parts by weight of resin (1).

- 2. (canceled).
- 3. (canceled).
- 4. (canceled).
- 5. (canceled).
- 6. (canceled).
- 7. (previously presented): The biodegradable resin composition according to claim 1, wherein the saccharide of resin (2) is starch.
 - 8. (canceled).
- 9. (previously presented): A biodegradable resin molded article, which is obtained by injecting the biodegradable resin composition of claim 1 into a heated mold having a predetermined shape, the heated mold having a heating temperature of 90 to 130°C.
 - 10. (canceled).

AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q80109

Application No.: 10/787,415

11. (canceled).

- 12. (canceled).
- 13. (canceled).
- 14. (previously presented): The biodegradable resin composition according to claim 1, wherein resin (2) which is a copolymer of D-lactic acid and a saccharide contains units of said saccharide in an amount of from 0.01 to 20% by weight.
- 15. (previously presented): The biodegradable resin composition according to claim 1, wherein resin (2) which is a copolymer of D-lactic acid and a saccharide contains units of said saccharide in an amount of about 0.1% by weight.
- 16. (previously presented): The biodegradable resin composition according to claim 1, wherein resin (2) consists of units derived from D-lactic acid and a saccharide.